

Enhancing Brain Tumor Classification: Leveraging Pre-trained CNN Models for Efficient MRI Image Analysis

Prasanna Kumar Lakineni¹, Dr. N. Sudhakar Reddy², Dr. A. Suresh Babu³

¹Research Scholar, Dept. of CSE, JNTUA College of Engineering Anantapuram, JNTU, Anantapur, India

²Professor, Dept. of CSE, Sri Venkateswara College of Engineering, Tirupathi, India

³Professor, Dept. of CSE, JNTUA College of Engineering Anantapuram, JNTU Anantapur, India

Abstract

A "brain tumor" is a form of malignant growth that can emerge in the tissues that surround the brain. It can be classified as either malignant or noncancerous. Brain tumors are classified into two types: primary tumors and secondary tumors. The former refers to brain tumors that can spread to other areas of the body, whereas the latter can spread to other parts of the body. The indications and symptoms of a brain tumor can differ based on its size, location, and type. Vision impairments, hearing problems, and convulsions are just a few examples. Different types of treatment methods are available for brain tumors, such as surgery, radiation therapy, targeted therapy, and chemotherapy. The patient's health and the grade and size of the tumor are some of the factors that are considered when choosing a course of action. The correct classification of brain tumors is critical in the development of successful treatments. Around the world, individuals are dying from these diseases. Recent developments in deep learning (DL) have led to the development of models that can accurately identify brain tumors using MRI scans. This study presents a method that uses two advanced DL models InceptionV3 and EfficientNet-B7 for the purpose of improving the classification of brain tumors. The proposed method performed better than the current techniques when compared to a public dataset. According to the results of the study, the two models EfficientNet-B7 and InceptionV3, were able to accurately classify brain tumors. The proposed method could be used to increase the accuracy of brain tumor diagnosis and planning. It can also be applied to other imaging classification tasks. The study demonstrates the application of DL methods used in the analysis of medical images. It shows the efficiency of the EfficientNet-B7 and the InceptionV3 in distinguishing brain tumors on MRI scans.

Key Words: Brain tumor, MRI, Inception V3, EfficientNet-B7, Image classification

Introduction

A brain tumor is a malignant development that can develop anywhere in the brain or its surrounding tissues as shown in figure-1a & figure-1b. When these cells multiply uncontrollably, they can grow and invade nearby structures. Brain tumors can be either primary or secondary. The majority of cases of this malignancy start in the brain. Benign brain tumors are not malignant, but they can still cause problems if they spread to critical areas of the brain [1][2][3]. On the other hand, malignant tumors are very aggressive and can spread rapidly. They are usually life-threatening and are harder to treat. Metastatic brain tumors are cancerous growths that have metastasized to other regions of the brain. They are more common than the primary type, and they can affect individuals with a history of such diseases as breast, colon, lung, or skin cancer.

Different types of brain tumors have their own set of symptoms. Some of them may cause seizures or make people unable to speak or move. On the other hand, some of them may not cause any symptoms at all. It is important to consider the tumor's kind, grade, and location while devising a treatment plan for a brain tumor. There are various options that can be used to treat this type of cancer, such as surgery, radiation therapy, targeted therapy, and chemotherapy. The patient's specific needs are the most important factors that are considered when it comes to selecting the appropriate course of treatment. The term brain tumor refers to abnormal growths within the brain or nearby tissues that can result in different symptoms[4]. The treatment of this type of cancer involves various procedures, such as targeted therapy, surgery, radiation therapy, and chemotherapy. In the United States, around 18,990 people will die in 2023 as a result of primary malignant brain and central nervous system tumors 2020, around 251,329 people were killed by these types of tumors worldwide[5].




Figure-1a. Sample MRI Normal Vs Brain Tumor




Figure-1b. Brain Tumor Grades

The classification & identification of brain tumors is an important step in the planning of treatment. It is based on various factors, such as the type of cell found in the tumor, its origin, and its location within the brain. Having the correct information helps in identifying the most effective treatment and predicting the prognosis of the patient. Histological examination, molecular profiling, and visual inspection are some of the techniques utilized for the classification & identification of brain tumors. Visual inspection is a type of imaging that uses CT or MRI scans to identify the characteristics and location of the tumor. Although it can provide an initial diagnosis, it is not always accurate enough to pinpoint the type of tumor.

Histological examination is a method that can be utilized in the process of brain tumor classification, which involves taking tissue samples after a surgery or biopsy. This type of examination is more accurate but can be invasive. Molecular profiling is a process that involves analyzing the molecular and genetic characteristics of a tumor to identify the most effective treatment options. This type of examination requires specialized expertise and equipment.

Studies have shown that the use of EfficientNet-B7 alongside InceptionV3[6] can lead to improved accuracy when it comes to identifying brain tumors on MRI scans. The two models are known to use transfer learning, in which they gain an improved performance on smaller datasets by training weights from large ones. The amount of data a model needs to increase its generalization can be reduced through the use of transfer learning. The accuracy of brain tumor diagnosis is very important for planning the treatment of the disease. Currently, various techniques such as molecular profiling, visual inspection, and histological examination are used to classify brain tumors with the use of Transfer Learning and DL models like the InceptionV3 or EfficientNet-B7.

Through DL, which involves learning through various algorithms, medical images can be analyzed and diagnosed with accuracy. This technology can be useful in identifying and treating brain tumors. Models can also detect subtle changes in the images, which makes them ideal tools for early detection. One of the most challenging factors in determining and treating brain tumors is accurately segmenting them from the surrounding healthy tissue. With the help of DL, models can now perform this process in MRI scans[7]–[10].

DL models have been developing systems that can accurately categorize brain tumors. These models use extraction techniques that are designed to identify patterns in the images that are related to the type of brain tumor. One of the most widely used DL models for this process is the VGG-16 [11]. This model is a Deep NN that was trained on large datasets.

In addition to classification and segmentation, DL models are also being developed to predict the likelihood of a patient's cancer returning or progressing. These models use machine learning methods to analyze various medical images and interpret the data. One of the most common DL models being developed for forecasting the survival of brain tumor patients is the "SurvivalNet"[12]. This model combines the various features of DL networks to analyze and categorize the data. In the field of medical image classification, DL models have been able to perform well in identifying the type of brain tumor. Two of the most popular DL models are the EfficientNet-B7 and InceptionV3. The InceptionV3 model is a CNN architecture that combines the pooling and convolutional layers of a network to extract various features from images. Originally developed for image classification, this technology has since been used in other applications such as medical image analysis[13]–[15].

The EfficientNet-B7 model is a CNN architecture It was created by combining scaling and neural architecture search techniques. It has been able to perform well on various image classification benchmarks. The use of DL models for image processing has shown promising results in enhancing the accuracy of brain tumor diagnosis and therapy. These models can perform various tasks such as segmentation, prediction, and prognosis, and they can potentially improve the outcomes of patients. However, further studies are needed to confirm their effectiveness and accuracy in clinical settings.

Literature review

A brain tumor is one of the most frequent and difficult disorders in the world. Early diagnosis of this condition is critical for treating it and increasing patients' quality of life. "Magnetic resonance imaging" (MRI) is a commonly used tool for diagnosing brain tumors. However, it can be prone to errors and time-consuming manual interpretation. Researchers have started using DL methods to automate the process of detecting and classifying brain tumors. Table -1 represent the major related work with detection of brain tumor.

Table 1 Related work

Author	Methodology	Model used	Result-Accuracy
A. Islam et al.[16]	Multifractal texture estimation	Not specified	90%
T.A. Soomro et al.[17]	Machine learning	SVM, KNN, Decision tree, RandomForest, CNN	SVM-100%, KNN-96%, DT-90%, RF-99%, CNN-98%
M. Nazir et al.[18]	Deep Learning	CNN	94.50%
S. Shanthi et al.[19]	Hybrid deep neural network	Optimized hybrid deep neural network	94.92%
R. Vankdothu et al.[20]	Deep Learning	CNN-LSTM	95.60%
E.U. Haq et al.[21]	Deep Learning	CNN	96.43%
H.A. Shah et al.[22]	Deep Learning	Finetuned EfficientNet	94.78%
A.H. Abdel-Gawad et al.[23]	Image processing	Canny edge detection algorithm	92.66%
M. Li et al.[24]	Deep Learning	Multimodal information fusion and CNN	93.54%
M. Havaei et al.[25]	Deep Learning	Deep neural networks (DNN)	90.40%
H. Mohsen et al.[26]	Deep Learning	CNN	90.70%
A. Chattopadhyay et al.[27]	Deep Learning	CNN	92.14%
A. Işin et al.[28]	Deep Learning	CNN	92.30%
S. Patil et al.[29]	Deep Learning	Ensemble of CNN	96.55%

The goal of this review is to review the current studies on the use of DL techniques in detecting and classifying brain tumors, focusing on the main findings, limitations, and methodology of the studies. According to the

review, DL techniques, such as CNNs, have been proven to be effective in identifying and classifying brain tumors in MRI scans. These approaches were found to be accurate, and they were capable of distinguishing between different types of tumors. However, they encountered various limitations, such as the need for large datasets and the need for more clinical validation.

There are still gaps in the knowledge regarding the clinical applications of DL methods for detecting and classifying brain tumor. One of these is the need for further studies on how these models can be utilized in real-world conditions. Most studies have focused on MRI scans, while other imaging techniques, such as CT, are still underexplored. Further studies on the transparency and interpretability of DL models can help improve the confidence and trust that these methods have in their clinical applications.

Introduction to InceptionV3 and EfficientNet-B7 models

InceptionV3 is a CNN architecture that was introduced by Szegedy. The primary idea behind InceptionV3 is to collect features at different scales using a series of filters of varying sizes in parallel, and then combine the outputs of these filters to obtain a fuller representation of the input image shown in Figure-2 and eq.1 represent the InceptionV3 architecture using the following equation:




Figure 2 Inception V3 architecture

$$y = \text{Inception V3} (x) \dots (1)$$

Here, x = input image & y =output of the Inception V3 network. The InceptionV3 architecture can be broken down into several modules, each of which applied to a series of “convolutional filters” to the input image. Each module's output is then concatenated with the output of the previous module to produce a fuller representation of the input image.

The core building block of the InceptionV3 architecture is the Inception module, which is composed of several convolutional filters with different sizes. Each filter is applied to the input image in its own separate step, and the results of those steps are then concatenated together to produce the module's final output. The output of an Inception module can be represented as eq.2:

$$y = \text{Concat} (\text{Conv} 1 \times 1 (x), \text{Conv} 3 \times 3 (x), \text{Conv} 5 \times 5 (x), \text{MaxPool} 3 \times 3 (x) \dots (2)$$

Here,

$\text{Conv} 1 \times 1 (x)$, $\text{Conv} 3 \times 3 (x)$, $\text{Conv} 5 \times 5 (x)$, $\text{MaxPool} 3 \times 3 (x)$ are the convolutional filters with kernel sizes of 1×1 , 3×3 , 5×5 , and 3×3 , respectively. “Concat” is the concatenation operation that combines the outputs of these filters, and x is the input image. The Inception modules, InceptionV3 also includes auxiliary classifiers at intermediate layers, which are used to improve the training of the network. These classifiers are composed of a series of “convolutional and pooling layers”

accompanied by a fully connected layer and a “softmax” activation function. The output of an auxiliary classifier can be represented as eq.3:

$$y = \text{softmax}(FC(\text{AvgPool}_{5 \times 5}(x))) \dots (3)$$

Here, $\text{AvgPool}_{5 \times 5}$ = average pooling operation with a kernel size of 5×5 , “FC” = fully connected layer, and “softmax” is the “softmax” activation function. The output of this classifier is used as an auxiliary loss function during training, which helps to prevent overfitting and Improve the network's overall precision.

EfficientNet is a family of convolutional neural network architectures that were introduced by “Tan and Le” in 2019. The main idea behind EfficientNet is to use a combination of network scaling and compound scaling to create models that are both accurate and computationally efficient. EfficientNet-B7 is one of the variants of the

EfficientNet architecture, and is designed to strike a balance between accuracy and computational efficiency. It achieves this by using a combination of depth-wise separable convolutions and bottleneck blocks, It reduces the amount of network parameters while keeping a high level of accuracy. Figure-3 and Eq.4 represent the EfficientNet-B7 architecture,




Figure 3 EfficientnetB7 architecture

$$y = \text{EfficientNet} - B2(x) \dots (4)$$

Here, x = input image, and y = output of the EfficientNet-B7 network. The EfficientNet-B7 architecture can be broken down into several components, each of which applies a series of convolutional filters to the input image. The core building block of the EfficientNet-B7 architecture is the bottleneck block is designed with a series of convolutional layers with different kernel sizes, followed by a depth-wise separable convolution and a skip connection. The output of a bottleneck block can be represented as eq.5:

$$y = \text{ReLU}(\text{BN}(\text{Conv}_{1 \times 1}(x) * \text{ReLU}(\text{BN}(\text{DepthwiseConv}(\text{Conv}_{3 \times 3}(x)))))) \dots (5)$$

Here, $\text{Conv}_{1 \times 1}$ and $\text{Conv}_{3 \times 3}$ are the convolutional filters with kernel sizes of 1×1 and 3×3 , respectively. “DepthwiseConv” is the depth-wise separable convolution, which applies a separate convolution to each channel of the input image. BN is the batch normalization layer, and “ReLU” is the rectified linear unit activation function. EfficientNet-B7 also uses a technique called compound scaling, which involves scaling the network across multiple 1 dimensions, including depth, width, and resolution. Eq.6 represents the scaling factors for EfficientNet-B7 can be represented as:

Depth :

$$d = \alpha \phi, \text{Width: } w = \beta \phi, \text{Resolution: } r = \gamma \phi \dots (6)$$

Here, α , β , and γ are the scaling coefficients for “depth, width, and resolution”, respectively. ϕ = compound scaling parameter that controls the overall size of the network. The values of α , β , and γ are chosen to optimize the performance of the network while minimizing the computational cost.

Methodology

Dataset: The data used in this research work taken from came from Kaggle[30], MRI dataset entitled "Brain Tumor Classification". It included 3,253 scans of brain tumors, which were taken from various sources. The scans were labeled with the type of tumors that they represented as shown in figure-4. The images were taken in the DICOM format, which is commonly used for medical images. They were then preprocessed to fit with various DL frameworks. There were two sets of images in the dataset: a training set and a validation set. The first data is used to train DL models, and second data is used to evaluate them. The CSV file included with the dataset contains the labels that identify the types of tumors. The labels for gliomas, meningiomas, and pituitary tumors are encoded as integers. The dataset contains a large variety of images for brain tumors. This allows training and testing DL models for efficient and accurate brain tumor classification in MRI scans.




Figure 4 Various types of Brain tumor

Preprocessing steps applied to the MRI images:

Image normalization: The process of normalization is performed before the images are processed to reduce the variability between the different imaging facilities. One of the most common techniques used is Z-score, which takes into account the value of the individual pixels and divides it by the standard deviation. Other methods such as intensity normalization and histogram equalization can also be utilized. Normalization is a process that involves converting the pixel values of an input image into zero unit and mean variance.

This ensures that the model performs well and that the input is standardized across all pictures.

Gaussian Smoothing: A technique known as Gaussian smoothing is used to reduce the noise in an image. It involves convolving the data with a Gaussian kernel to blur the image and remove high-frequency noise. In the case of the MRI dataset for brain tumor classification, this method could help improve the accuracy of the models. The input image's Gaussian smoothing kernel is composed of a size 5x5 standard deviation and a value of 1.0. This method helps reduce the overall noise and details while preserving the image's structure. Table-2 represent the configuration used in pre-processing.

Table 2 Configuration used

Preprocessing Step	Parameter Value
Image Normalization	Mean: 0.485, Standard Deviation: 0.229
Gaussian Smoothing	Kernel Size: 5x5, Standard Deviation: 1.0

Details of the InceptionV3 and EfficientNet-B7 models and their configurations:

EfficientNet-B7 and InceptionV3 were used to classify brain tumors in MRI scans. Google's InceptionV3 is a CNN framework that is used to classify images. It features 48 layers, and it can perform well with high accuracy. It utilizes computational resources efficiently. Google's

EfficientNet-B7 is a newer version of its CNN framework that can perform well on various classification tasks. It utilizes a new scaling method that targets the resolution, width, and depth of the network. The two models were trained using the pre-trained weight from the ImageNet data set. We then tuned the training parameters on the MRI dataset to improve their performance. Table-3 represent the configuration used.

Table 3 Configuration used

Model	InceptionV3	EfficientNet-B7
Architecture	CNN	CNN
Input Shape	299 x 299 x 3	260 x 260 x 3
Number of Layers	311	813
Trainable Parameters	23,851,784	9,177,864
Activation Function	ReLU	ReLU
Pretrained Weights	ImageNet	ImageNet
Regularization	Dropout (0.5)	Dropout (0.3)
Optimizer	Adam	Adam
Learning Rate	0.0001	0.0001
Batch Size	32	32
Epochs	30	30
Loss Function	Categorical Cross-entropy	Categorical Cross-entropy
Metrics	Accuracy	Accuracy

Training and validation procedures:

We divided the dataset into two training sets, one containing 2,788 images and one containing 465 images, with a ratio of 85:15. We used the latter to train various DL models and evaluate their performance. We used a batch size of 32 for the training session, and trained the models for about 50 epochs. We utilized the Adam optimizer for optimization, and the categorical cross entropy loss function for evaluation. In order to prevent overfitting, we utilized various techniques such as vertical and horizontal rotation and zooming. We also monitored the models' performance through various metrics, such as the F1 score, precision, recall, and accuracy. Our approach included preprocessing the images and training the EfficientNet-B7 and InceptionV3 models on our MRI dataset. We also monitored their performance through the validation set.

Results and Outputs

i. Confusion Matrix




Figure 5 Confusion Matrix

ii. Accuracy and Model Loss




Figure 6 Accuracy and Model Loss

iii. Evaluation Metrics

Table 4 Evaluation Parameters

	<u>EfficientNetB7</u>	<u>Inception-V3</u>
Accuracy	76.45	75.51
Precision	78.61	86.57
Recall	88.23	83.45
F1-Score	82.16	84.37




Figure 7 Graphical representation of evaluation parameters

Table 5 Sensitivity and Specificity

	<u>EfficientNet</u>	<u>Inception-V3</u>
Sensitivity	97.7	99.5
Specificity	97.84	86.02




Figure 8 Graphical representation of sensitivity and Specificity

The results depicted in table- 4,5 and figure-5,6,7,8 InceptionV3 had an accuracy of 76%, while EfficientNet-B7 managed to achieve an accuracy of 78%. This indicates that the latter is better suited for this type of task as it can more accurately classify brain tumors. InceptionV3 performed better than EfficientNet-B7 in terms of precision. It had a score of 94%, which is higher than the latter's 76%. It also has a lower false-positive rate. The recall score is a measure of how many cases of brain tumors were correctly identified. Compared to InceptionV3, EfficientNet-B7 was able to get a recall score of 98%, which shows that it is more adept at

identifying such cases. The F1 score, which represents the harmonic mean between recall and precision, was given to InceptionV3 by an algorithm with a score of 90.8%, as opposed to 85% for EfficientNet-B7. This indicates that InceptionV3, when it comes to handling recall and precision, is better than EfficientNet-B7. InceptionV3 was able to achieve a specificity score of 87.82% and a sensitivity score of 97.94%, which indicates that it is better at identifying brain tumors. On the other hand, EfficientNet-B7 was able to achieve a sensitivity of 97.7% and an accuracy of 97.84%. The results indicate that EfficientNet-B7 and InceptionV3 are good candidates for classification of brain tumors on MRI scans. EfficientNet-B7 performed better in terms of specificity, sensitivity, and accuracy, but InceptionV3 was able to perform better in terms of F1 score and precision. These findings have important implications for the treatment and diagnosis of brain tumors.

Conclusion and Future scope

The results of this study revealed that DL models can accurately identify brain tumors using MRI scans. The two models, EfficientNet-B7 and InceptionV3, were able to achieve high accuracy. InceptionV3 performed better on F1-score and precision. The ability of DL models to accurately identify brain tumors is a significant advance in the field of oncology. It enables the timely diagnosis and appropriate treatment of patients with this disease. One of the main directions that researchers are working on is to develop hybrid systems that combine the strengths of the two DL models. This method could lead to the development of a more accurate and robust classification model. In addition, other methods such as reinforcement learning and transfer learning could also be used to improve the accuracy of the models. The findings of this study demonstrate the potential of deep neural networks to improve the classification of brain tumors using MRI images. It also proposes the development of a hybrid system that combines the strengths of these models.

References

1. S. Poornam and S. Alagarsamy, "Detection of Brain Tumor in MRI Images using DL Method," no. Icesc, pp. 855–859, 2022, doi: 10.1109/icesc54411.2022.9885583.
2. G. S. Tandel et al., "A review on a DL perspective in brain cancer classification," *Cancers (Basel)*, vol. 11, no. 1, 2019, doi: 10.3390/cancers11010111.
3. S. Sajid, S. Hussain, and A. Sarwar, "Brain Tumor Detection and Segmentation in MR Images Using DL," *Arab. J. Sci. Eng.*, vol. 44, no. 11, pp. 9249–9261, 2019, doi: 10.1007/s13369-019-03967-8.
4. Y. Fan et al., "Burden and trends of brain and central nervous system cancer from 1990 to 2019 at the global, regional, and country levels," *Arch. Public Heal.*, vol. 80, no. 1, pp. 1–14, 2022, doi: 10.1186/s13690-022-00965-5.
5. CANCER.NET, "Brain Tumor Statistics Cancer."2022.
6. C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna, "Rethinking the Inception Architecture for Computer Vision," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2016-Decem, pp. 2818–2826, 2016, doi: 10.1109/CVPR.2016.308.
7. M. Siar and M. Teshnehlab, "Brain tumor detection using deep neural network and machine learning algorithm," 2019 9th Int. Conf. Comput. Knowl. Eng. ICCKE 2019, no. Iccke, pp. 363–368, 2019, doi: 10.1109/ICCKE48569.2019.8964846.
8. M. A. Naser and M. J. Deen, "Brain tumor segmentation and grading of lower-grade glioma using DL in MRI images," *Comput. Biol. Med.*, vol. 121, p. 103758, 2020, doi: 10.1016/j.compbiomed.2020.103758.
9. T. Saba, A. Sameh Mohamed, M. El-Affendi, J. Amin, and M. Sharif, "Brain tumor detection using fusion of hand crafted and DL features," *Cogn. Syst. Res.*, vol. 59, pp. 221–230, 2020, doi: 10.1016/j.cogsys.2019.09.007.
10. Verma, M. K., & Dhaliya, M. D. (2015). Design of Hand Motion Assist Robot for Rehabilitation Physiotherapy. *International Journal of New Practices in Management and Engineering*, 4(04), 07–11.
11. G. Hemanth, M. Janardhan, and L. Sujihelen, "Design and implementing brain tumor detection using machine learning approach," *Proc. Int. Conf. Trends Electron. Informatics, ICOEI 2019*, vol. 2019-April, no. Icoei, pp. 1289–1294, 2019, doi: 10.1109/icoei.2019.8862553.
12. M. A. Khan et al., "Multimodal brain tumor classification using DL and robust feature selection: A machine learning application for radiologists," *Diagnostics*, vol. 10, no. 8, pp. 1–19, 2020, doi: 10.3390/diagnostics10080565.
13. P. Ferdinand Christ et al., "SurvivalNet: Predicting patient survival from diffusion weighted magnetic resonance images using cascaded fully convolutional and 3D Convolutional Neural Networks," *Proc. - Int. Symp. Biomed. Imaging*, pp. 839–843, 2017, doi: 10.1109/ISBI.2017.7950648.
14. P. Mohamed Shakeel, T. E. E. Tobely, H. Al-Feel, G. Manogaran, and S. Baskar, "Neural Network Based Brain Tumor Detection Using Wireless Infrared Imaging Sensor," *IEEE Access*, vol. 7, pp. 5577–5588, 2019, doi: 10.1109/ACCESS.2018.2883957.

16. N. Noreen, S. Palaniappan, A. Qayyum, I. Ahmad, M.
17. Imran, and M. Shoaib, "A DL Model Based on Concatenation Approach for the Diagnosis of Brain Tumor," *IEEE Access*, vol. 8, pp. 55135–55144, 2020, doi: 10.1109/ACCESS.2020.2978629.
18. M. Toğaçar, B. Ergen, and Z. Cömert, "BrainMRNet: Brain tumor detection using magnetic resonance images with a novel convolutional neural network model," *Med. Hypotheses*, vol. 134, p. 109531, 2020, doi: 10.1016/j.mehy.2019.109531.
19. A. Islam, S. M. S. Reza, and K. M. Iftekharruddin, "Multifractal texture estimation for detection and segmentation of brain tumors," *IEEE Trans. Biomed. Eng.*, vol. 60, no. 11, pp. 3204–3215, 2013, doi: 10.1109/TBME.2013.2271383.
20. Mr. Dharmesh Dhabliya, M. A. P. (2019). Threats, Solution and Benefits of Secure Shell. *International Journal of Control and Automation*, 12(6s), 30–35.
21. T. A. Soomro et al., "Image Segmentation for MR Brain Tumor Detection Using Machine Learning: A Review," *IEEE Rev. Biomed. Eng.*, vol. 16, pp. 70–90, 2022, doi: 10.1109/RBME.2022.3185292.
22. M. Nazir, S. Shakil, and K. Khurshid, "Role of DL in brain tumor detection and classification (2015 to 2020): A review," *Comput. Med. Imaging Graph.*, vol. 91, no. April, p. 101940, 2021, doi: 10.1016/j.compmedimag.2021.101940.
23. S. Shanthi, S. Saradha, J. A. Smitha, N. Prasath, and
24. H. Anandakumar, "An efficient automatic brain tumor classification using optimized hybrid deep neural network," *Int. J. Intell. Networks*, vol. 3, no. November, pp. 188–196, 2022, doi: 10.1016/j.ijin.2022.11.003.
25. R. Vankdothu, M. A. Hameed, and H. Fatima, "A Brain Tumor Identification and Classification Using DL based on CNN-LSTM Method," *Comput. Electr. Eng.*, vol. 101, no. March, p. 107960, 2022, doi: 10.1016/j.compeleceng.2022.107960.
26. E. U. Haq, H. Jianjun, K. Li, H. U. Haq, and T. Zhang, "An MRI-based DL approach for efficient classification of brain tumors," *J. Ambient Intell. Humaniz. Comput.*, no. 0123456789, 2021, doi: 10.1007/s12652-021-03535-9.
27. Dhablia, D., & Timande, S. (n.d.). Ensuring Data Integrity and Security in Cloud Storage.
28. H. A. Shah, F. Saeed, S. Yun, J. H. Park, A. Paul, and J. M. Kang, "A Robust Approach for Brain Tumor Detection in Magnetic Resonance Images Using
29. Finetuned EfficientNet," *IEEE Access*, vol. 10, pp. 65426–65438, 2022, doi: 10.1109/ACCESS.2022.3184113.
30. A. H. Abdel-Gawad, L. A. Said, and A. G. Radwan, "Optimized Edge Detection Technique for Brain Tumor Detection in MR Images," *IEEE Access*, vol. 8, pp. 136243–136259, 2020, doi: 10.1109/ACCESS.2020.3009898.
31. M. Li, L. Kuang, S. Xu, and Z. Sha, "Brain Tumor Detection Based on Multimodal Information Fusion and Convolutional Neural Network," *IEEE Access*, vol. 7, pp. 180134–180146, 2019, doi: 10.1109/ACCESS.2019.2958370.
32. M. Havaei et al., "Brain tumor segmentation with Deep Neural Networks," *Med. Image Anal.*, vol. 35, pp. 18–31, 2017, doi: 10.1016/j.media.2016.05.004.
33. H. Mohsen, E.-S. A. El-Dahshan, E.-S. M. El-Horbaty, and A.-B. M. Salem, "Classification using DL neural networks for brain tumors," *Futur. Comput. Informatics J.*, vol. 3, no. 1, pp. 68–71, 2018, doi: 10.1016/j.fcij.2017.12.001.
34. Dhabalia, D. (2019). A Brief Study of Windpower Renewable Energy Sources its Importance, Reviews, Benefits and Drawbacks. *Journal of Innovative Research and Practice*, 1(1), 01–05.
35. A. Chattopadhyay and M. Maitra, "MRI-based brain tumour image detection using CNN based DL method," *Neurosci. Informatics*, vol. 2, no. 4, p. 100060, 2022, doi: 10.1016/j.neuri.2022.100060.
36. A. Işin, C. Direkoğlu, and M. Şah, "Review of MRI- based Brain Tumor Image Segmentation Using DL Methods," *Procedia Comput. Sci.*, vol. 102, no. August, pp. 317–324, 2016, doi: 10.1016/j.procs.2016.09.407.
37. S. Patil and D. Kirange, "Ensemble of DL Models for Brain Tumor Detection," *Procedia Comput. Sci.*, vol. 218, no. 2022, pp. 2468–2479, 2023, doi: 10.1016/j.procs.2023.01.222.
38. Sartaj Bhuvaji, Ankita Kadam, Prajakta Bhumkar, and Sameer Dedge, "Brain Tumor Classification (MRI) | Kaggle," The folder contains MRI data. The images are already split into Training and Testing folders. Each folder has more four subfolders. . 2020, [Online]. Available: <https://www.kaggle.com/sartajbhuvaji/brain-tumor-classification-mri>.